Information

The Old-Berlin is a replication lantern that is true to the original in every technical and aesthetic detail. The lantern is equipped with innovative, energy-efficient LED technology from leading manufacturers. The Old-Berlin lantern achieves a magnificent lighting effect, with a brilliant and natural color rendering that

perfectly replicates the light from a historic gaslamp. The golden-yellow illumination gives the environ a lively and natural appearance. The use of premium materials guarantees a long service-life. Thanks to its hinged roof and side-door, it is very easy to maintain (a version without door is also available). By means of

its rotationally symmetrical light distribution, this lantern is especially wellsuited for the illumination of public squares, streets, residential areas, green spaces and passageways.




Technical Informations

Breite:	426 mm
Dach:	cast aluminum aluminum
Gewicht:	ca. 18 kg
Höhe:	995 mm
Länge:	426 mm
Leiterbügel-Ausführung:	see versions V1, V2 a/b Additional mounting options available on request. Standard paint in Onyx Black (iron mica thick-layered paint) Paint options according to RAL Color Table, as well as FerroGrip special surfacing.
Leuchtenfuss-Ausführungen:	 V1: Threaded top for mounting the lamp with the guide frame onto the masthead: Ø85mm or Ø100mm for 4x M12 V2 a: spigot Ø60mm V2 b: spigot Ø76mm
Leuchtenkörper :	Cast aluminum and aluminum
Reflektor:	powder-coated according to RAL 9016 (choose from the installation positions: convex or concave) Replica of a historic BAMAG remote igniter with burner tube for centric, invisible cable routing. (Other versions on request)
Schutzart Leuchte :	IP 54
Verglasungsvarianten:	Plastic (PC) or acrylic (PMMA) Glass: Safety glass, float glass, mouth-blown Flatglass "restauro"

BRAUN Lighting Solutions e. K. is a participant in the export initiative "Energie Effizienz – made in Germany", initiated by the Federal Ministry for the Economy and Technology. Due to the complexity of the many possible combinations of drivers and LED modules, the values shown for technical LED parameters, including performance parameters, are typical. Actual values of specific products in specific configurations may vary from these typical values. The information and diagrams contained in this document do not constitute an offer or contractual obligation. Product parameters may change as a result of technical innovation and will be undertaken without prior notice. Our manufacturing conforms to DIN EN and VDE regulations; the productonforms to European EMC regulations.

BRAUN Lighting Solutions Nunsdorfer Ring 2-10 12277 Berlin Germany www.braun.lighting
 info@braun-lighting.com
 +49 (0)30 7 007 763-100
 +49 (0)30 7 007 763-101





BRAUN Lighting Solutions e. K. is a participant in the export initiative "Energie Effizienz – made in Germany", initiated by the Federal Ministry for the Economy and Technology. Due to the complexity of the many possible combinations of drivers and LED modules, the values shown for technical LED parameters, including performance parameters, are typical. Actual values of specific products in specific configurations may vary from these typical values. The information and diagrams contained in this document do not constitute an offer or contractual obligation. Product parameters may change as a result of technical innovation and will be undertaken without prior notice. Our manufacturing conforms to DIN EN and VDE regulations; the productconforms to European EMC regulations.

BRAUN Lighting Solutions Nunsdorfer Ring 2-10 12277 Berlin Germany

www.braun.lighting
 info@braun-lighting.com
 +49 (0)30 7 007 763-100
 +49 (0)30 7 007 763-101

